

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(navigation or gps) with search\$10 with updat\$10 with map same (tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L2	0	((navigation or gps) with search\$10 with map) and ((navigation or gps) with updat\$10 with map same (tree))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L3	317	((navigation or gps) with search\$10 with map) and ((navigation or gps) with updat\$10 with map)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L4	37	((navigation or gps) with search\$10 with map) and ((navigation or gps) with updat\$10 with map) and (map same tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L5	69	((navigation or gps) NEAR10 updat\$10 NEAR5 map) and (map same tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L6	451	((navigation or gps) NEAR10 updat\$10 NEAR5 map).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L7	279	((navigation or gps) near4 updat\$10 NEAR5 map).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L8	887	((navigation or gps) and updat\$10 NEAR3 map).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L9	341	((navigation or gps) and updat\$10 NEAR3 map).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50

L10	341	((navigation or gps) with updat\$10 NEAR3 map).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L11	128	((navigation or gps) with updat\$10 map).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L12	0	US2002013658.pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L13	2	"20020013658".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L14	3	"11248073"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L15	45	(Navigation or GPS) and (updat\$10 near10 (portion or part\$5) near5 map) same version	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L16	3	"20040128285"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L17	2	((("6766248") or ("20030028316"))).PN.	US-PGPUB; USPAT	OR	OFF	2009/04/30 23:50
L18	2	((("20020091485") or ("7318054"))).PN.	US-PGPUB; USPAT	OR	OFF	2009/04/30 23:50
L19	71	(Navigation or GPS) and (updat\$10 near10 (portion or part\$5) near5 (content or poi or map)) same version	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L20	10	("7318054" "20020091485" "20020049705" "20040024724" "20050060647").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50

L21	3057	(Navigation or gps) with (tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L22	611	(Navigation or gps) with (POI)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L23	62	(Navigation or gps) NEAR (POI)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L24	2	(Navigation or gps) NEAR5 (POI) near5 loading	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L25	1	(Navigation or gps) NEAR5 (POI) near5 load	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L26	17	(Navigation or gps) NEAR5 (POI) near5 updat \$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L27	98	(load\$10 or updat\$10) NEAR2 (part\$10 or portion or Piece) NEAR3 (map or content or poi or data or information) NEAR5 (Navigation or gps)	US-PGPUB; USPAT	ADJ	ON	2009/04/30 23:50
L28	6	(load\$10 or updat\$10) NEAR2 (part\$10 or portion or Piece) NEAR3 (map or content or poi or data or information) NEAR5 (Navigation or gps) same divid\$10	US-PGPUB; USPAT	ADJ	ON	2009/04/30 23:50
L29	6	(("20040236504") or ("20040088110") or ("6546334") or ("20030028315") or ("6453233") or ("20020013658")).PN.	US-PGPUB; USPAT	OR	OFF	2009/04/30 23:50

L30	0	L29 and ((audio or voice) with warn\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L31	2424	(navigation or gps) and ((audio or voice) with warn\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L32	0	(navigation or gps) and (((audio or voice) with warn\$10) with map with size with (too or over or threshold))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L33	13	(navigation or gps) and (((audio or voice) with warn\$10) with memory with (too or over or threshold or low))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L34	22	(navigation or gps) and (((displa\$10 or audio or voice or speak\$10 or spok\$10) with warn\$10) with (cache or space or memory) NEAR10 (too or over or threshold or low or full))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L35	107	(navigation or gps) and (((displa\$10 or audio or voice or speak\$10 or spok\$10) with (message or warn\$10)) with (cache or space or memory) NEAR10 (too or over or threshold or low or full))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L36	460	(navigation or gps) and ((search\$10 or lookup or (look\$10 up)) with POI)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L37	62	(navigation or gps) and ((search\$10 or lookup or (look\$10 up)) with POI same (range))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L38	93	(navigation or gps) and ((search\$10 or lookup or (look\$10 up)) with POI same (range or radius))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50

L39	0	(navigation or gps) and ((search\$10 or lookup or (look\$10 up)) with POI same (range or radius)) and ((search\$10 or lookup or (look\$10 up)) with each charactor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L40	2	(navigation or gps) and ((search\$10 or lookup or (look\$10 up)) with POI same (range or radius)) and ((search\$10 or lookup or (look\$10 up)) with (single or each or every) with character)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L41	2	(navigation or gps) and ((search\$10 or lookup or (look\$10 up)) with POI same (range or radius)) and ((search\$10 or lookup or (look\$10 up)) with (single or each or every) with (character or letter))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L42	32	(navigation or gps).ti. and ((search\$10 or lookup or (look\$10 up)) with POI same (range or radius))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L43	13	(navigation or gps).ti. and ((search\$10 or lookup or (look\$10 up)) with (single or each or every) with (character or letter))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L44	211	(navigation or gps)and ((search\$10 or lookup or (look\$10 up)) with (single or each or every) with (character or letter))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L45	1	(navigation or gps) and ((search\$10 or lookup or (look\$10 up)) with (single or each or every) with (character or letter) with dimm\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L46	147	(navigation or gps)and ((search\$10 or lookup or (look\$10 up)) NEAR10 (single or each or every) NEAR10 (character or letter))	US-PGPUB; USPAT	ADJ	ON	2009/04/30 23:50

L47	13	(navigation or gps) same ((search\$10 or lookup or (look\$10 up)) NEAR10 (single or each or every) NEAR10 (character or letter))	US-PGPUB; USPAT	ADJ	ON	2009/04/30 23:50
L48	129	((navigation (system or apparatus or device)) or gps) and ((auto complet \$10) or auto\$complet\$)	US-PGPUB; USPAT	ADJ	ON	2009/04/30 23:50
L49	60	((navigation (system or apparatus or device)) or gps) and ((auto complet \$10) or auto\$complet\$) same (address or location)	US-PGPUB; USPAT	ADJ	ON	2009/04/30 23:50
L50	27	((navigation (system or apparatus or device)) or gps) and ((auto complet \$10) or auto\$complet\$) same (address or location) same (letter or character)	US-PGPUB; USPAT	ADJ	ON	2009/04/30 23:50
L51	7	"09631101"	US-PGPUB; USPAT	ADJ	ON	2009/04/30 23:50
L52	33	"09631101" or "5959629"	US-PGPUB; USPAT	ADJ	ON	2009/04/30 23:50
L53	61	(naviation or gps) and ((error or warn\$10 or displa\$10) with map with (memory or space or cache or RAM) with (full or low or overload or too or enough))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L54	3	L29 and (audio or voice or message or warn\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L55	1	(audio or voice or message or warn\$10) with version with old with map	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L56	8	(audio or voice or message or warn\$10) with version with (old\$4 or out\$2dat\$7 or (out dat \$6)) with map	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50

L57	2656	(voice or message or warn\$10 or notif\$10 or pop\$2up or (pop up)) with need\$10 NEAR4 (renew\$10 or updat\$10 or upgrad\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L58	18	(voice or message or warn\$10 or notif\$10 or pop\$2up or (pop up)) with need\$10 NEAR4 (renew\$10 or updat\$10 or upgrad\$10) with map	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L59	245	(voice or message or warn\$10 or notif\$10 or pop\$2up or (pop up)) with need\$10 NEAR4 (renew\$10 or updat\$10 or upgrad\$10) with (program or software)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L60	69	user with (voice or message or warn\$10 or notif\$10 or pop\$2up or (pop up)) with need\$10 NEAR4 (renew\$10 or updat\$10 or upgrad\$10) with (program or software)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L61	100	user with (voice or message or warn\$10 or notif\$10 or pop\$2up or (pop up)) with need\$10 NEAR4 (renew\$10 or updat\$10 or upgrad\$10) NEAR5 (program or software or data)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L62	28	(message or warn\$10 or notif\$10 or pop\$2up or (pop up)) NEAR5 user with need\$10 NEAR4 (renew\$10 or updat\$10 or upgrad\$10) NEAR5 (program or software or data)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L63	63	(check\$10 or determin\$10 or verif\$10 or evaluat\$10) NEAR10 (version) with (notif\$10 or warn\$10 or alarm\$10 or messag\$10) NEAR5 (user or client) NEAR10 (updat\$10 or upgrad\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50

L64	55	(check\$10 or determin\$10 or verif\$10 or evaluat\$10) NEAR5 (version) with (notif\$10 or warn\$10 or alarm\$10 or messag\$10) NEAR5 (user or client) NEAR10 (updat\$10 or upgrad\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L65	50	(check\$10 or determin\$10 or verif\$10 or evaluat\$10) NEAR5 (version) with (notif\$10 or warn\$10 or alarm\$10 or messag\$10) NEAR5 (user or client) NEAR5 (updat\$10 or upgrad\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L66	15	((navigation or gps) and ((auto complet\$10) or auto \$complet\$)) same (address or location) same (letter or character)	US-PGPUB; USPAT	ADJ	ON	2009/04/30 23:50
L67	1971	(navigation or gps) and (Available or possible) same (address or location) same (letter or character)	US-PGPUB; USPAT	ADJ	ON	2009/04/30 23:50
L68	57	(navigation or gps) and (Available or possible) NEAR5 (address or location) NEAR5 (letter or character)	US-PGPUB; USPAT	ADJ	ON	2009/04/30 23:50
L69	53	(check\$10 or determin\$10 or verif\$10 or evaluat\$10 or detect\$10) NEAR5 (version) with (notif\$10 or warn\$10 or alarm\$10 or messag\$10) NEAR5 (user or client) NEAR5 (updat\$10 or upgrad\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L70	13	((("20060167935") or ("20040236504") or ("20040088110") or ("20030231163") or ("6546334") or ("20030028315") or ("20020160751") or ("6459440") or ("6453233") or ("20020118396") or ("20020013658") or ("20010020212") or ("5959629"))).PN.	US-PGPUB; USPAT	OR	OFF	2009/04/30 23:50

L71	4	L70 and (user or client) with (notif\$10 or messag\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L72	1029	notif\$10 NEAR5 user NEAR10 updat\$10 NEAR10 (version or software or programe or data)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L73	8185	(threshold or predetermin\$10) NEAR4 (alarm\$10 or notif\$10 or messag\$10 or warn\$10) NEAR5 (user or client)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L74	389	(threshold or predetermin\$10) NEAR (alarm\$10 or notif\$10 or messag\$10 or warn\$10) NEAR (user or client)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L75	18	(threshold or predetermin\$10) NEAR4 (alarm\$10 or notif\$10 or messag\$10 or warn\$10) NEAR5 (user or client) with version	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L76	3	(threshold) NEAR4 (alarm\$10 or notif\$10 or messag\$10 or warn\$10) NEAR5 (user or client) with version	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L77	137	(threshold) NEAR (alarm\$10 or notif\$10 or messag\$10 or warn\$10) NEAR (user or client)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L78	0	notif\$10 NEAR5 user NEAR10 updat\$10 NEAR10 (version or software or programe or data) 701/208,209.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L79	0	notif\$10 NEAR5 user NEAR10 updat\$10 NEAR10 (version or software or programe or data) 707/1-5,7,9-10\$. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50

L80	0	notif\$10 NEAR5 user NEAR10 updat\$10 NEAR10 (version or software or programe or data) 707/1-5,7,9-100. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L81	63	(navigaton or gps) and (map same (updat\$10 or upgrad\$10)) and ((input \$10 or enter\$10) with destination) and 707/1- 5,7,9-100.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L82	47	(navigaton or gps) and (map same (updat\$10 or upgrad\$10)) and ((input \$10 or enter\$10) with destination) and 707/10\$. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L83	15	(navigaton or gps) and (map same (updat\$10 or upgrad\$10)) and ((input \$10 or enter\$10) with destination) and 707/200,203.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L84	333	(navigaton or gps) and (map WITH (updat\$10 or upgrad\$10)) and ((input \$10 or enter\$10) with (address or locatoin or destination)) and ((portion or part\$10) with map) and 701/208,209. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L85	8	(navigaton or gps) and (map WITH (updat\$10 or upgrad\$10)) and ((input \$10 or enter\$10) with (address or locatoin or destination)) and ((portion or part\$10) with map) and (search with list with tree)and 701/208,209.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50
L86	72	(navigaton or gps) and (map NEAR5 (updat\$10 or upgrad\$10)) and ((input \$10 or enter\$10) with (address or locatoin or destination)) and ((portion or part\$10) with map) and (map NEAR5 version) and 701/208,209. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/30 23:50

4/ 30/ 2009 11:57:34 PM

C:\ Documents and Settings\ yzhao\ My Documents\ EAST\ Workspaces\ 10586534.wsp